



KEY	
	EXISTING CMU DEMIZING PARTITION;
	NEW EXISTING 1 HOUR RATED DEMIZING PARTITION; 3-5/8" MET. STUD; 16" O.C.; 20 GAUGE BUILT TO ROOF DECK; 5/8" FIRECODE GYPSUM BOARD EA. SIDE, CONSTRUCTION TO BE IN ACCORDANCE WITH UL DESIGN #U465. ALL PENETRATIONS CAULKED
	EXISTING EXIT LIGHT AND EMERGENCY LIGHT COMBINATION
	EXISTING FIRE EXTINGUISHER ABC 10 lb. PLACED EVERY 75'
	EXISTING 36" DOOR
	EXISTING 30" DOOR
	EXISTING PAIR OF 36" DOORS

APPLICABLE CODES
1. CODE CONFORMANCE IS REQUIRED TO BE REFERENCED FROM THE FOLLOWING SOURCES:
a. STANDARD BUILDING CODE (INTERNATIONAL BUILDING CODE)-2006 EDITION WITH GEORGIA AMENDMENTS.
b. NFPA 101 LIFE SAFETY CODE - 2000 EDITION.
c. GEORGIA ACCESSIBILITY CODE, 1997/GAC 120-3-20

PROJECT CRITERIA
PROJECT NAME: MOONSWING INVESTMENTS LLC
ADDRESS: 3172 EAST PONCE DE LEON AVE. SCOTSDALE, GA 30079
OCCUPANCY CLASS: BUSINESS
OCCUPANCY LOAD: 8,000 USF @ 100 SF PER PERSON = 80
CONSTRUCTION TYPE: II A
SPRINKLERED: NO
SUITE FLOOR LEVEL: 1
TOTAL NUMBER OF STORIES IN BUILDING: 1
MEZZANINE: NO

MOONSWING INVESTMENTS, LLC
3172 E. Ponce de Leon
Scottsdale, Georgia 30079

Date
5-11-09
5-19-09